

Versuchsanstalt für Stahl, Holz und Steine

(Amtliche Materialprüfungsanstalt)
Karlsruher Institut für Technologie (KIT)
Kaiserstraße 12. 76131 Karlsruhe



Leitung: Univ.-Prof. Dr.-Ing. H. J. Blaß und Univ.-Prof. Dr.-Ing. T. Ummenhofer

Certificate of constancy of performance

0769 - CPR - 6171/04

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Glued Laminated Timber

Product specifications see page 2

placed on the market under the name or trade mark of

Poppensieker & Derix GmbH & Co. KG

Industriestraße 24, 49492 Westerkappeln, Germany

and produced in the manufacturing plant

Poppensieker & Derix GmbH & Co. KG

Industriestraße 24, 49492 Westerkappeln, Germany

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 14080:2013

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 14 March 2016 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Amtliche Materialprüfungs-

anstalt Karlsruher Institut für Technologie

Karlsruhe, 14 March 2019

Head of the certification body

Univ.-Prof. Dr.-Ing. H. J. Blaß

Product specifications Certificate of Conformity 0769-CPR-6171/04 14 March 2019

Construction Product:

Glued Laminated Timber, Glued Laminated Timber with large finger joints and block glued glulam

Strength Classes:

GL 20h, GL 24, GL 28c and GL 30

Wood Species:

Spruce / Fir / Larch

Type of Adhesive:

MUF

Reaction to Fire:

D-s2, d0

Formaldehyde Emission:

E1

Producer specific compositions:

Spruce / Fir	Larch
GL 24c PD2	GL 24c PD2
GL 28c PD2	GL 28c PD3
GL 28c PD3	GL 28c PD4
GL 28c PD4	GL 28c PD5
GL 28c PD5	
GL 30c PD2	
GL 30c PD3	
GL 30c PD4	